

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	12	((timestamp\$2 (time adj stamp\$3)) with packet) and (block adj key) and (block adj seed) and (record\$3 adj medium)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/28 12:31
L2	4	"6600870"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/28 12:31
L3	208	713/178.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/28 12:31
L4	120	713/178.ccls. and @ay <="2000"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/28 12:31
L5	80	713/178.ccls. and @ay <="2000" and (block) and key and (seed vector identi\$8)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/28 12:31
L6	36	713/178.ccls. and @ay <="2000" and (block near3 (data key seed vector identi\$8)) and key and (seed vector identi\$8)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/28 12:31
L7	0	(packet near3 notary) and block near3 (key seed) and (time (time adj stamp\$3) timestamp\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/28 12:31
L8	0	(packet near3 notary) and (block near3 (key seed)) and (time (time adj stamp\$3) timestamp\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/28 12:31
L9	2401	(packet) and (block near3 (key seed)) and (time (time adj stamp\$3) timestamp\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/28 12:31

## EAST Search History

L10	33	(packet) and notary and (block near3 (key seed)) and (time (time adj stamp\$3) timestamp\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/28 12:31
L11	80	713/178.ccls. and @ay <="2000" and (block) and key and (seed vector identi\$8) and @ay <="2000"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/28 12:31
L12	24	(packet) and notary and (block near3 (key seed)) and (time (time adj stamp\$3) timestamp\$3) and @ay <="2000"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/28 12:31
L13	104	("5459853" "5608178" "4326098" "5412729" "5539827" "5617432" "5724551" "5787309" "5802397" "5809546" "5900019" "5983317" "6041386" "6041391" "6192129" "6243470" "4316055" "4504860" "4821029" "4924745" "5300726" "5365589" "5394534" "5412728" "5631961" "5724428" "5949884" "5987124" "6088800" "4264782" RE30957 "4387617" "4408273" "4439840" "4578535" "4772956" "5202799" "5214703" "5298673" "5481613" "5493724" "5511123" "5519199" "5581743" "5606679" "5627564" "5696826" "5761302" "5768390" "5771292").pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/28 12:31
L14	94	(packet notary block key seed time stamp\$3 timestamp\$3 notary block key seed) and L13	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/28 12:31
L15	5	(packet notary block key seed time stamp\$3 timestamp\$3 notary block key seed) and L13 and ((time adj (tag\$3 stamp)) (timestamp\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/28 12:31
L16	18	"6041161"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/28 12:31

## EAST Search History

L17	17	(packet notary block key seed time stamp\$3 timestamp\$3 notary block key seed) and L16	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/28 12:31
L18	17	(packet notary block key seed time stamp\$3 timestamp\$3 notary block key seed \$2crypt\$3 encod\$3 encipher\$3) and L16	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/28 12:31
L19	17	(packet notary block section segment key seed time stamp\$3 timestamp\$3 notary block key seed \$2crypt\$3 encod\$3 encipher\$3) and L16	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/28 12:31
L20	275	386/65.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/28 12:31
L21	72	726/32.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/28 12:31
L22	68	726/33.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/28 12:31
L23	228	(master device apparatus computer recorder) near3 key and title and (disc disk medium memory) near3 (ID identifier identity) and ((timestamp\$2 (time adj ( tag\$4 stamp\$3))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/28 12:31
L24	227	(master device apparatus computer recorder) near3 key and title and (disc disk medium memory) near3 (ID identifier identity) and ((timestamp\$2 (time adj ( tag\$4 stamp\$3)))) and (generat\$3 calculat\$3 deriv\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/28 12:31
L25	222	(master device apparatus computer recorder) near3 key and title and (disc disk medium memory) near3 (ID identifier identity) and ((timestamp\$2 (time adj ( tag\$4 stamp\$3)))) and (generat\$3 calculat\$3 deriv\$3) and (record\$3 reproduc\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/28 12:31

## EAST Search History

L26	122	(master device apparatus computer recorder) near3 key and title and (disc disk medium memory) near3 (ID identifier identity) and ((timestamp\$2 (time adj ( tag\$4 stamp\$3)))) and (generat\$3 calculat\$3 deriv\$3) and (record\$3 reproduc\$3) and (packet) and key	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/28 12:31
L27	35	(master device apparatus computer recorder) near3 key and title and (disc disk medium memory) near3 (ID identifier identity) and ((timestamp\$2 (time adj ( tag\$4 stamp\$3)))) and (generat\$3 calculat\$3 deriv\$3) and (record\$3 reproduc\$3) and (packet) and key and @ay <="2000"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/28 12:31
L28	2082	packet with (block segment section) with data and ((time (time adj (tag\$3 stamp\$3)) timestamp\$3) with packet) and key and (ID identi\$8 counter) and (\$2crypt\$3 \$2cipher\$3 encod\$3) and (record\$3 reproduc\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/28 12:31
L29	778	packet with (block segment section) with data and ((time (time adj (tag\$3 stamp\$3)) timestamp\$3) with packet) and key and (ID identi\$8 counter) and (\$2crypt\$3 \$2cipher\$3 encod\$3) and (record\$3 reproduc\$3) and @ay <="2000"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/28 12:31
L30	1683	packet with (block segment section) with data and ((time (time adj (tag\$3 stamp\$3)) timestamp\$3) with packet) and key and (block segment section) same (ID identi\$8 counter seed) and (\$2crypt\$3 \$2cipher\$3 encod\$3) and (record\$3 reproduc\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/28 12:31
L31	661	packet with (block segment section) with data and ((time (time adj (tag\$3 stamp\$3)) timestamp\$3) with packet) and key and (block segment section) same (ID identi\$8 counter seed) and (\$2crypt\$3 \$2cipher\$3 encod\$3) and (record\$3 reproduc\$3) and @ay <="2000"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/28 12:31

## EAST Search History

L32	158	packet with (block segment section) with data and (((time adj (tag\$3 stamp\$3)) timestamp\$3) with packet) and key and (block segment section) same (ID identi\$8 counter seed) and (\$2crypt\$3 \$2cipher\$3 encod\$3) and (record\$3 reproduc\$3) and @ay <="2000"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/28 12:31
L33	129	packet same stream and packet with (block segment section) with data and (((time adj (tag\$3 stamp\$3)) timestamp\$3) with packet) and key and (block segment section) same (ID identi\$8 counter seed) and (\$2crypt\$3 \$2cipher\$3 encod\$3) and (record\$3 reproduc\$3) and @ay <="2000"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/28 12:31
L34	2	(packet stream packet block segment section data time tag\$3 stamp\$3 timestamp\$3 packet key block segment section ID identi\$8 counter seed \$2crypt\$3 \$2cipher\$3 encod\$3 record\$3 reproduc\$3) and @ay <="2000" and "6804453"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/28 12:31
L35	3	"6804453"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/28 12:31
L36	4	("5621578"   "6167136"   "6289102"   "RE37052").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/09/28 12:31
L37	4	(packet stream packet block segment section data time tag\$3 stamp\$3 timestamp\$3 packet key block segment section ID identi\$8 counter seed \$2crypt\$3 \$2cipher\$3 encod\$3 record\$3 reproduc\$3) and L36	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/28 12:31
L38	137	packet same stream and packet with (sector block segment section) with data and (((time adj (tag\$3 stamp\$3)) timestamp\$3) with packet) and key and (block segment sector section) same (ID identi\$8 counter seed) and (\$2crypt\$3 \$2cipher\$3 encod\$3) and (record\$3 reproduc\$3) and @ay <="2000"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/28 12:31

## EAST Search History

L39	100	(packet same (transport stream)) and packet with (sector block segment section) with data and (((time adj (tag\$3 stamp\$3)) timestamp\$3) near5 packet) and key and (block segment sector section) same (ID identi\$8 counter seed) and (\$2crypt\$3 \$2cipher\$3 encod\$3) and (record\$3 reproduc\$3) and @ay <="2000"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/28 12:31
L40	90	(packet same (transport stream)) and packet with (sector block segment section) with data and (((time adj (tag\$3 stamp\$3)) timestamp\$3) near5 packet) and key and (block segment sector section) same (ID identi\$8 counter seed) and (\$2crypt\$3 \$2cipher\$3 encod\$3) and (record\$3 reproduc\$3) and medium and @ay <="2000"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/28 12:31
L41	4	"9630905"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/28 12:31
L42	4	((("6529602") or ("5559875")).PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/28 12:31
L43	3	"11224456"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/28 12:31
L44	14	"0874503"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/28 12:31
L45	4	"0924930"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/28 12:31
L46	2	"11176091"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/28 12:31

## EAST Search History

L47	14	(disc disk) adj key and (master adj key) and ((block sector) adj key)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/28 12:31
L48	4	(disc disk) adj key and (master adj key) and ((block sector) adj key) and (hash or (one adj way adj function))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/28 12:31
L49	11	(disc disk) adj key and (master adj key) and ((block segment section) adj key)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/28 12:31
L50	0	hash with (disc disk) adj key and (master adj key) and ((block sector) adj key)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/28 12:31
L51	0	hash with ((disc disk) adj key) and (master adj key) and ((block sector) adj key)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/28 12:31
L52	0	((disc disk) adj key) and (master adj key) and hash with ((block sector) adj key)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/28 12:31
L53	0	((disc disk) adj key) and (master adj key) and hash with ((block sector section segment) adj key)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/28 12:31
L54	2	((disc disk) adj key) and hash with ((block sector section segment) adj key)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/28 12:31
L55	2	hash and (disc disk) adj key and (master adj key) and ((title) adj key)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/28 12:31
L56	2	hash\$3 and (disc disk) adj key and (master adj key) and ((title) adj key)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/28 12:31

## EAST Search History

L57	0	hash\$3 same (disc disk) adj key same (master adj key) same key	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/28 12:31
L58	0	hash\$3 same ((disc disk) adj key) same (master adj key) same key	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/28 12:31
L59	11	(disc disk) adj key and (master adj key) and ((block segment section) adj key)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/28 12:31
L60	3	"10303945"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/28 12:31
L61	208	713/178.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/28 12:31
L62	0	283/13.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/28 12:31
L63	9592	382/276-308.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/28 12:31
L64	473	705/75.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/28 12:31
L65	60	380/229.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/28 12:31



## EAST Search History

L66	104	("5459853" "5608178" "4326098" "5412729" "5539827" "5617432" "5724551" "5787309" "5802397" "5809546" "5900019" "5983317" "6041386" "6041391" "6192129" "6243470" "4316055" "4504860" "4821029" "4924745" "5300726" "5365589" "5394534" "5412728" "5631961" "5724428" "5949884" "5987124" "6088800" "4264782" RE30957 "4387617" "4408273" "4439840" "4578535" "4772956" "5202799" "5214703" "5298673" "5481613" "5493724" "5511123" "5519199" "5581743" "5606679" "5627564" "5696826" "5761302" "5768390" "5771292").pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/28 12:31
L67	98	(packet notary block key seed time stamp\$3 timestamp\$3 notary block key seed header generat\$3 calculat\$3 hash one way function) and L66	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/28 12:31
L68	0	(packet notary block key seed time stamp\$3 timestamp\$3 notary block key seed header generat\$3 calculat\$3 hash one way function) and L66 and (generat\$3 calculat\$3) with key with block with header	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/28 12:31
L69	0	(packet notary block key seed time stamp\$3 timestamp\$3 notary block key seed header generat\$3 calculat\$3 hash one way function) and L66 and (generat\$3 calculat\$3) with key with header	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/28 12:31
L70	2	(packet notary block key seed time stamp\$3 timestamp\$3 notary block key seed header generat\$3 calculat\$3 hash one way function) and L66 and (generat\$3 calculat\$3) with header	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/28 12:31
L71	847	(generat\$3 calculat\$3) with header with key	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/28 12:31
L72	77	(generat\$3 calculat\$3) with header with key with block	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/28 12:31

## EAST Search History

L73	19	(generat\$3 calculat\$3) with header with key with block and @ay <="1999"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/28 12:31
L74	6	(hash) with header with key with block and @ay <="1999"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/28 12:31
L75	57	(hash) with header with key and @ay <="1999"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/28 12:31
L76	6	(hash) with header with key and timestamp\$3 and record\$3 and @ay <="1999"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/28 12:31
L77	7	(hash) with header with key and timestamp\$3 and @ay <="1999"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/28 12:31
L78	0	(title and block and (disc disk medium) and device) adj key and ((time adj stamp\$3) timestamp\$3) and hash\$3 near7 header and packet	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/28 12:31
L79	0	(title and block and (disc disk medium) ) adj key and ((time adj stamp\$3) timestamp\$3) and hash\$3 near7 header and packet	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/28 12:31
L80	12	(title and block and (disc disk medium) ) adj key and ((time adj stamp\$3) timestamp\$3) and hash\$3 and packet	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/28 12:31
L81	12	(title and block) adj2 key and ((time adj stamp\$3) timestamp\$3) and hash\$3 and packet	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/28 12:31
L82	12	(title and block) adj2 key and ((time adj stamp\$3) timestamp\$3) and hash\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/28 12:31

## EAST Search History

L83	13	(title and block and (disc disk medium) ) adj key and ((time adj stamp\$3) timestamp\$3 (time adj info)) and packet	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/28 12:31
L84	13	(title and block and (disc disk medium) ) adj key and ((time adj stamp\$3) timestamp\$3 (time adj info))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/28 12:31
L85	25	(title and block and (disc disk medium) ) adj key	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/28 12:31
L86	12	L85 not L84	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/28 12:31
L87	77	(title and block and (disc disk medium) ) adj3 key	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/28 12:31
L88	50	(title and block and (disc disk medium) ) adj2 key	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/28 12:31
L89	4	(title and block and (disc disk medium) ) adj2 key and @ay <="1999"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/28 12:31
L90	4	(packet notary block key seed time stamp\$3 timestamp\$3 notary block key seed header generat\$3 calculat\$3 hash one way function) and L89	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/28 12:31
L91	0	CBC and block adj3 key same hash\$3 same ((time adj stamp\$3) timestamp\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/28 12:31
L92	0	CBC and block adj3 key same ((time adj stamp\$3) timestamp\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/28 12:31

## EAST Search History

L93	34	encrypt\$3 and block adj3 key same ((time adj stamp\$3) timestamp\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/28 12:31
L94	7	encrypt\$3 and block adj3 key same ((time adj stamp\$3) timestamp\$3) and @ay <="1999"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/28 12:31
L95	33	cipher adj block and (timestamp\$2 (time adj stamp\$3) ((time clock) adj info)) with key	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/28 12:31
L96	2	cipher adj block and (timestamp\$2 (time adj stamp\$3) ((time clock) adj info)) with key with header	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/28 12:31
L97	22	cipher adj block and (timestamp\$2 (time adj stamp\$3) ((time clock) adj info)) with key and header	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/28 12:31
L98	20	cipher adj block and (timestamp\$2 (time adj stamp\$3) ((time clock) adj info)) with key and packet	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/28 12:31
L99	0	block with header with (timestamp\$2 (time adj stamp\$3) ((time clock) adj info)) with key and packet	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/28 12:31
L100	1	(sector block) with header with (timestamp\$2 (time adj stamp\$3) ((time clock) adj info)) with key and packet	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/28 12:31
L101	18	block near5 header with random and packet and key	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/28 12:31
L102	55	block near5 header same random and packet and key	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/28 12:31

## EAST Search History

L103	15	block near5 header same random and packet and key and @ay <="1999"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/28 12:31
L104	3	block near5 header same random and block adj key and @ay <="1999"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/28 12:31
L105	5	block same header same random and block adj key and @ay <="1999"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/28 12:31
L106	5	(sector section segment block) same header same random and block adj key and @ay <="1999"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/28 12:31
L107	4	((("6529602") or ("5559875")).PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/28 12:31
L108	1104	380/277.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/28 12:31
L109	67	380/271.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/28 12:31
L110	249	380/281.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/28 12:31
L111	129	380/284.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/28 12:32
L112	775	380/44.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/28 12:32